



**INSTRUMENT
APPROACH
CHART - ICAO**

**MOSCOW, RUSSIA
SHEREMETYEVO
NDB RWY 24R**

SHEREMETYEVO RADAR 118.100 120.675 122.700 126.600 135.175
SHEREMETYEVO TOWER 118.700 120.700 131.500



DME MR	4.0	6.0	8.0	10.0	12.0	14.0	16.0
ALTITUDE/HEIGHT	750'/(50)	1090'/(155)	1430'/(260)	1780'/(365)	2110'/(465)	2450'/(570)	2800'/(675)



OCA(H)	A	B	C	D	① TRANSITION LEVEL: - FL110 when QNH is 1013 hPa (760mm mercury column) or above; - FL120 when QNH is 977 hPa (733mm mercury column) or above, but less than 1013 hPa (760mm mercury column); - FL130 when QNH is less than 977 hPa (733mm mercury column).							
Straight-in	1150' (560') (170)	1150' (560') (170)	1150' (560') (170)	1150' (560') (170)								
Approach												
GROUND SPEED	km/h	150	180	210	240	270	300	330	360	390	420	450
RATE OF DESCENT	m/s	2.2	2.6	3.1	3.5	3.9	4.3	4.8	5.2	5.6	6.1	6.5
	ft/min	427	512	597	683	768	853	939	1024	1109	1195	1280