


**INSTRUMENT
APPROACH
CHART - ICAO**


**MOSCOW, RUSSIA
SHEREMETYEVO
GLS RWY 06L**

SHEREMETYEVO RADAR **118.100 120.675 122.700 126.600 135.175**
SHEREMETYEVO TOWER **118.700 120.700 131.500**

GBAS CH 22648 G06D **TRANSITION LEVEL:** By ATC ① **TRANSITION ALT:** 10000' **AD ELEV:** 630' / 192m
THR ELEV: 600' / 182.5m



| | | | | | | |
|------------------------|---------------|---------------|---------------|---------------|---------------|---------------|
| DIST to RW06L | 12.0 | 10.0 | 8.0 | 6.0 | 4.0 | 2.0 |
| ALTITUDE/HEIGHT | 2720' / (650) | 2370' / (540) | 2030' / (440) | 1690' / (335) | 1340' / (230) | 1000' / (125) |



| OCA(H) | | A | B | C | D | |
|----------------------|------------------------------------|--------------|------------------|------------------|------------------|------------------|
| Straight-in Approach | MNM climb gradient for missed APCH | CAT I | 800' (200') (60) | 800' (200') (60) | 800' (200') (60) | 800' (200') (60) |
| | | | | | | |

① **TRANSITION LEVEL:**
- FL110 when QNH is 1013 hPa (760mm mercury column) or above;
- FL120 when QNH is 977 hPa (733mm mercury column) or above, but less than 1013 hPa (760mm mercury column);
- FL130 when QNH is less than 977 hPa (733mm mercury column).

| | | | | | | | | | | | | |
|------------------------|--------|-----|-----|-----|-----|-----|-----|-----|------|------|------|------|
| GROUND SPEED | km/h | 150 | 180 | 210 | 240 | 270 | 300 | 330 | 360 | 390 | 420 | 450 |
| RATE OF DESCENT | m/s | 2.2 | 2.6 | 3.0 | 3.5 | 3.9 | 4.3 | 4.8 | 5.2 | 5.6 | 6.1 | 6.5 |
| | ft/min | 427 | 512 | 597 | 683 | 768 | 853 | 939 | 1024 | 1109 | 1195 | 1280 |

CHANGE: New chart