


AERODROME GROUND MOVEMENT
AND AIRCRAFT PARKING/DOCKING CHART - ICAO

TOWER 118.200

BELGOROD, RUSSIA

BELGOROD

PZ - 90.11 coordinates



STAND NR	LATITUDE (N)	LONGITUDE (E)
9	50 38 42.79	036 34 44.49
10	50 38 42.51	036 34 45.38
11	50 38 42.21	036 34 46.26

Not to scale

APRON:

Surface: Asphalt-Concrete
Strength: Stands 1-8 - PCN 72/F/D/X/T

TAXIWAY:

Width: A, B, C, D, E, M - 23m
A, B, C, D, E, M - with strengthened shoulders 38m

Surface: A, B, C, D, E, M - Asphalt-Concrete
Strength: A - PCN 77/F/D/X/T
B, C, D, E, M - PCN 72/F/D/X/T

Radius of curve at junctions of TWY A and TWY B with RWY - 50m.

ACFT types:

A-319, A-320-200, A-321 and its modifications,
ATR-42, ATR-72, BAe-146-300/Avro RJ-85,
B737-300, B737-400, B737-500, B737-700,
B737-MAX 8, B737-800, Bombardier Dash 8 Q400,
CRJ-100, CRJ-200, ERJ-120, ERJ-145, ERJ-170,
ERJ-190, L-410, RRJ-95, SAAB 2000, SAAB 340B,
Il-114, An-24, An-26, An-28, Yak-40, Yak-42
An-12, Il-76, Tu-154, Tu-134, Tu-204,
Tu-214, B737-900, B767-300ER, B757-200
HEL with the diameter of the main rotor not more than 13m

STANDS:

1-8
1, 2, 5, 6, 7
9, 10, 11