



INSTRUMENT
APPROACH
CHART - ICAO

OGNENYY 124.000

KOMSOMOLSK-NA-AMURE, RUSSIA
DZEMGI
2 NDB, NDB Z RWY 19



OCA(H)		A	B	C	D	
Straight-in Approach	2 NDB	With FAF	219(195) 710'	219(195) 710'	219(195) 710'	219(195) 710'
		WO FAF	499(475) 1630'	499(475) 1630'	499(475) 1630'	499(475) 1630'
	NDB (LOM)	With FAF	329(305) 1080'	329(305) 1080'	329(305) 1080'	329(305) 1080'
		WO FAF	409(385) 1340'	409(385) 1340'	409(385) 1340'	409(385) 1340'
Circling		434(410) 1430'	484(460) 1600'	514(490) 1690'	514(490) 1690'	

① TRANSITION LEVEL:
- FL080 when QFE is 742mm mercury column or above (989 hPa);
- FL090 when QFE is less than 742mm mercury column (989 hPa).

NOTE
MAPt at LMM F. Timing not authorized for defining MAPt.

GROUND SPEED	km/h	150	180	210	240	270	300	330	360	390	420	450
RATE OF DESCENT	m/s	2.8	3.4	3.9	4.5	5.0	5.6	6.1	6.7	7.3	7.8	8.4